

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS) Issue date: 3/15/2015 Revision date: 9/5/2025 Supersedes: 9/29/2022

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : Adacor 80 Dip
CAS-No. : Mixture
Product code : 0106

1.2. Other means of identification

Other means of identification : Alumina-Silicate Wet Air Set Mortar-Slurry

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Refractory Recommended use : Industrial use

1.4. Supplier's details

RHI Magnesita

One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 United States

T 412-494-4491

Resco SDS.TDS@rhimagnesita.com - WWW.RescoProducts.com

1.5. Emergency phone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation, Category 2 H315 Causes skin irritation. Serious eye damage/eye irritation, Category 2B H320 Causes eye irritation.

Carcinogenicity, Category 1A H350 May cause cancer (After drying or heating, Inhalation).

Full text of H statements: see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H315 - Causes skin irritation

H319 - Causes serious eye irritation

H350 - May cause cancer (After drying or heating, Inhalation).

Precautionary statements (GHS US) : P202 - Do not handle until all safety precautions have been read and understood.

P280 - Wear eye protection, protective gloves, protective clothing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P332+P313 - If skin irritation occurs: Get medical advice or attention. P337+P313 - If eye irritation persists: Get medical advice or attention.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
aluminium oxide, non-fibrous	CAS-No.: 1344-28-1	60 - 80	Not classified

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Name	Product identifier	%	GHS US classification
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous	CAS-No.: 1344-09-8	10 – 30	Skin Irrit. 2, H315
solutions			Eye Irrit. 2B, H320
quartz	CAS-No.: 14808-60-7	1 – 5	Carc. 1A, H350
cristobalite	CAS-No.: 14464-46-1	0.5 – 1	Carc. 1A, H350

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Gently wash with plenty of soap and water. Take off contaminated clothing and wash it before

reuse.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms/effects, acute and delayed

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects after inhalation : After drying or heating. Danger of serious damage to health by prolonged exposure through

Causes skin irritation.

inhalation. May cause cancer by inhalation.

Symptoms/effects after skin contact

Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : No unsuitable extinguishing media known.

5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

Explosion hazard : Prolonged exposure to fire may cause containers to rupture/explode.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from

entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : If spilled, may cause the floor to be slippery.

For emergency responders

: Equip cleanup crew with proper protection.

Protective equipment : Equip cleanu Emergency procedures : Stop release.

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public

waters.

6.2. Methods and materials for containment and cleaning up

For containment : Plug the leak, cut off the supply.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage.

See Heading 8, Exposure controls and personal protection

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Avoid contact with skin.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Store in original container. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

9/5/2025 (Revision date) EN (English US) 2/7

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 8 Exposure controls/personal protection				
8.1. Control parameters				
cristobalite (14464-46-1)				
USA - ACGIH - Occupational Exposure Limits				
ACGIH® TLV® TWA	0.025 mg/m³ respirable dust			
USA - OSHA - Occupational Exposure Limits				
OSHA PEL TWA	0.05 mg/m³ respirable dust			
aluminium oxide, non-fibrous (1344-28-1)				
USA - ACGIH - Occupational Exposure Limits				
ACGIH® TLV® TWA	1 mg/m³ respirable dust			
quartz (14808-60-7)				
USA - ACGIH - Occupational Exposure Limits				
ACGIH® TLV® TWA	0.025 mg/m³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV -			
	Adopted Value; Respirable fraction)			
USA - OSHA - Occupational Exposure Limits				
Local name	Silica, crystalline quartz, respirable dust			
OSHA PEL TWA	0.05 mg/m³ respirable dust			
Remark (OSHA)	(3) See Table Z-3.			

8.2. Appropriate engineering controls

Appropriate engineering controls : Emergency eye wash fountain with clean water. Dust on tear out. Provide adequate ventilation to minimize dust concentrations.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

After air drying or heating. Dust on tear out. Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid
Appearance : Slurry.
Color : Gray
Odor : earthy

Odor threshold : No data available

pH : > 10 Melting point : > 2000 °F Freezing point : \approx 32 °F

Boiling point : No data available Flash point : No data available Flammability (solid, gas) : Not flammable. Vapor pressure : No data available Relative vapor density at 20°C : No data available

Relative density : ≈ 1.7

Solubility : Moderately soluble in water.

Partition coefficient n-octanol/water (Log Pow)

Auto-ignition temperature

Decomposition temperature

Viscosity, kinematic

Explosion limits

Particle characteristics

No data available

No data available

No data available

No data available

9/5/2025 (Revision date) EN (English US) 3/7

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

Air Setting.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

reace textony (initialization)	. tot olabolilou		
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8)			
LD50 oral rat > 2000 mg/kg (Rat, Oral)			
aluminium oxide, non-fibrous (1344-28-1)			
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))		
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))		

Skin corrosion/irritation : Causes skin irritation.

pH: > 10

pH: > 10

sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8)			
рН	11 – 13		
cristobalite (14464-46-1)			
oH 6 – 7			
aluminium oxide, non-fibrous (1344-28-1)			
рН	9 – 10.5 (aqueous suspension, 33 %)		
quartz (14808-60-7)			
pH 6 – 7			
Serious eye damage/irritation :	Causes eye irritation.		

	<u> </u>		
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8)			
pH 11 – 13			
cristobalite (14464-46-1)			
pH 6 – 7			
aluminium oxide, non-fibrous (1344-28-1)			
pH 9 – 10.5 (aqueous suspension, 33 %)			

9/5/2025 (Revision date) EN (English US) 4/7

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

cuartz (14808-60-7) PH					
Not classified Cemmon Not classified Not classifi	quartz (14808-60-7)				
Garm cell mutagemicity : Not classified carriorogenicity : May cause cancer (After drying or heating, Inhalation). quartz (14808-60-7) IARC group 1 - Carcinogenic to humans	pH	6-7			
Carcinogenicity : May cause cancer (After drying or healing, Inhalation). Quartz (14808-60-7) IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified Applicable (Solid) Viscosity, kinematic Not applicable (solid) Potential Avevare human health effects and symptoms : All and any applicable (solid) Potential Avevare human health effects and symptoms : All and any applicable (solid) Potential Avevare human health effects and symptoms : Alfer drying or healting, Dunger of serious damage to health by prolonged exposure through inhalation. Symptoms/effects after six contact : Causes serious eye inflation. SECTION 12 Ecological information 12.1 Ecological information 12.1 Ecological information 12.1 Ecological information 12.1 Ecological information : Not classified (acute) Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not cl	· •				
LARC group					
Reproductive toxicity		, , , , , , , , , , , , , , , , , , , ,			
STOT-repeate exposure STOT-repeate exposure STOT-repeate exposure STOT-repeate exposure Spiration hazard Spiration Spirat	IARC group	1 - Carcinogenic to humans			
STOT-repeated exposure : Not classified aluminium oxide, non-fibrous (1344-28-1) Viscosity, kinematic Not applicable (solid) Potential Adverse human health effects and symptoms Symptoms/effects after inhalation : After drying or heating. Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation. Symptoms/effects after eye contact : Causes sin intritation. SECTION 12 Ecological information 12.1. Ecotoxicity Hazardous to the aquatic environment, short-term : Not classified (acute) Hazardous to the aquatic environment, long-term (chronic) sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) LC50 - Fish [1]	,				
Aspiration hazard : Not classified aluminium oxide, non-fibrous (1344-28-1) Viscosity, kinematic Not applicable (solid) Potential Adverse human health effects and symptoms Symptoms/effects after inhalation Based on available data, the classification criteria are not met. symptoms Symptoms/effects after inhalation Aller drying or healing. Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation. SECTION 12 Ecological information 12.1. Ecotoxicity Hazardous to the aquatic environment, short-term Not classified (exute) Activate a department of the equatic environment, long-term Not classified (exute) Section 11 2 210 mg/l (96 h. Brachydanio rerio, Pure substance) 12.50 - Fish [1] 210 mg/l (96 h. Daphnia magna, Pure substance) 12.50 - Fish [1] 210 mg/l (96 h. Salmo trutta, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Literature study) 12.50 - Fish [1] > 100 mg/l (9	• ,				
Viscosity, kinematic Potential Adverse human health effects and symptoms Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after skin contact Symptoms/effects after exin contact SECTION 12 Ecological information 12.1. Ecotoxicity Hazardous to the aquatic environment, short-term Not classified (acute) Hazardous to the aquatic environment, long-term Not classified (chronic) Sodium silicate, alkaline 1.6/2.6, 35% <conc<555%, (%="" (1344-09-8)="" (1344-28-1)="" -="" 1.6="" 2.6,="" 35%<sconc<555%,="" [1]="" alkaline="" aluminium="" and="" applicable="" applicable<="" aqueous="" crustacea="" dd="" degradability="" established.="" fish="" lc50="" movide,="" non-fibrous="" not="" of="" oxide,="" persistence="" silicate,="" solution="" solutions="" td="" thod)=""><td>·</td><td></td></conc<555%,>	·				
Based on available data, the classification criteria are not met.	aluminium oxide, non-fibrous (1344-28-1)				
symptoms After drying or heating. Danger of serious damage to health by prolonged exposure through inhalation. May cause cancer by inhalation. Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact Causes skin irritation. SECTION 12 Ecological information 12.1. Ecotoxicity Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term Not classified (acute) Hazardous to the aquatic environment, long-term Not classified (chronic) sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) LC50 - Fish [1] 210 mg/l (96 h, Brachydanio rerio, Pure substance) EC50 - Crustacea [1] 216 mg/l (96 h, Daphnia magna, Pure substance) aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study) 12.2. Persistence and degradability Adacor 80 Dip (Mixture) Persistence and degradability Not established. sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable pristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable Chemical oxygen demand (COD) Not applicable Chemical oxygen demand (COD) Not applicable Dio (% of ThOD) Not applicable Aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Mineral, Not applicable Aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable Aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable					
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after skin contact Symptoms/effects after expontact Causes skin irritation. SECTION 12 Ecological information 12.1. Ecotoxicity Hazardous to the aquatic environment, short-term South state exponsible exposure through inhalation. South state exponsible exposure through inhalation. Section 12 Ecological information 12.1. Ecotoxicity Hazardous to the aquatic environment, long-term Not classified (chronic) sodium silicate, alkaline 1.6/2.6, 35% Sconc555%, aqueous solutions (1344-09-8) LC50 - Fish [1] 210 mg/l (96 h, Brachydanio rerio, Pure substance) 216 mg/l (96 h, Daphnia magna, Pure substance) 216 mg/l (96 h, Salmo trutta, Literature study) EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study) 12.2. Persistence and degradability Adacor 80 Dip (Misture) Persistence and degradability Not established. Sodium silicate, alkaline 1.6/2.6, 35% Sconc555%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable On Not applicable Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable Persistence and degradability Mineral, Not applicable. Ohemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable Not applicable Not applicable aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable aluminium oxide, non-fibrous (1344-28-1)		Based on available data, the classification criteria are not met.			
Symptoms/effects after skin contact Symptoms/effects after skin contact Symptoms/effects after sye contact Causes serious eye irritation. SECTION 12 Ecological information 12.1. Ecotoxicity Hazardous to the aquatic environment, short-term Not classified (cuthonic) sodium silicate, alkaline 1.6/2.6, 35%	Symptoms/effects after inhalation :				
Symptoms/effects after eye contact : Causes serious eye irritation. SECTION 12 Ecological information 12.1. Ecotoxicity Hazardous to the aquatic environment, short-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (chronic) sodium stilicate, alkaline 1.6/2.6, 35%< 1210 mg/l (96 h, Brachydanio rerio, Pure substance) EC50 - Crustacea [1] 216 mg/l (96 h, Daphnia magna, Pure substance) aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study) EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study) 12.2. Persistence and degradability Adacor 80 Dip (Mixture) Persistence and degradability Not established. sodium stilicate, alkaline 1.6/2.6, 35%< Sconc\$55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable Cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. ThOD Not applicable DOD (% of ThOD) Not applicable ThOD Not applicable DOD (% of ThOD) Not applicable DOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable Not applicable Not applicable Not applicable Not applicable					
12.1. Ecotoxicity Hazardous to the aquatic environment, short-term : Not classified (acute) Hazardous to the aquatic environment, long-term : Not classified (chronic) sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) LC50 - Fish [1]		Causes serious eye irritation.			
Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (short-term): Not classified (chronic) sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) LC50 - Fish [1] 210 mg/l (96 h, Brachydanio rerio, Pure substance) EC50 - Crustacea [1] 216 mg/l (96 h, Daphnia magna, Pure substance) atuminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study) EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study) 12.2. Persistence and degradability Adacor 80 Dip (Mixture) Persistence and degradability Not established. sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable DOD (% of ThOD) Not applicable cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable	SECTION 12 Ecological information				
Acute					
Hazardous to the aquatic environment, long-term : Not classified (chronic) sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) LC50 - Fish [1] 210 mg/l (96 h, Brachydanio rerio, Pure substance) atuminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study) EC50 - Crustacea [1] > 100 mg/l (96 h, Daphnia magna, Pure substance) atuminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1] > 100 mg/l (96 h, Daphnia magna, Pure substance) atuminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not established. sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable ThOD Not applicable Persistence and degradability Mineral, Not applicable Chemical oxygen demand (COD) Not applicable ROD (% of ThOD) Not applicable Not applicable Not applicable		Not classified			
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) LC50 - Fish [1] 210 mg/l (96 h, Brachydanio rerio, Pure substance) EC50 - Crustacea [1] 216 mg/l (96 h, Daphnia magna, Pure substance) aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study) EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study) 12.2. Persistence and degradability Adacor 80 Dip (Mixture) Persistence and degradability Not established. sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable Oristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable Province and degradability Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable		Not classified			
LC50 - Fish [1] 210 mg/l (96 h, Brachydanio rerio, Pure substance) EC50 - Crustacea [1] 216 mg/l (96 h, Daphnia magna, Pure substance) aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study) EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study) 12.2. Persistence and degradability Adacor 80 Dip (Mixture) Persistence and degradability Not established. sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable Dor (Sof ThOD) Not applicable ThOD Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable					
EC50 - Crustacea [1] 216 mg/l (96 h, Daphnia magna, Pure substance) aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study) EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study) 12.2. Persistence and degradability Adacor 80 Dip (Mixture) Persistence and degradability Not established. sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable Cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not appl					
aluminium oxide, non-fibrous (1344-28-1) LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study) EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study) 12.2. Persistence and degradability Adacor 80 Dip (Mixture) Persistence and degradability Not established. sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable Do (% of ThOD) Not applicable	<u> </u>				
LC50 - Fish [1] > 100 mg/l (96 h, Salmo trutta, Literature study) EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study) 12.2. Persistence and degradability Adacor 80 Dip (Mixture) Persistence and degradability Not established. sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable Chemical oxygen demand (COD) Not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable Aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable.		216 mg/l (96 h, Daphnia magna, Pure substance)			
EC50 - Crustacea [1] > 100 mg/l (48 h, Daphnia magna, Literature study) 12.2. Persistence and degradability Adacor 80 Dip (Mixture) Persistence and degradability Not established. sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable Not applicable BOD (% of ThOD) Not applicable Not applicable Not applicable Persistence and degradability Not applicable.	aluminium oxide, non-fibrous (1344-28-1)				
12.2. Persistence and degradability Adacor 80 Dip (Mixture) Persistence and degradability Not established. sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable Not applicable	LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)			
Adacor 80 Dip (Mixture) Persistence and degradability Not established. sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable	EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)			
Persistence and degradability Sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable Cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable	12.2. Persistence and degradability				
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55%, aqueous solutions (1344-09-8) Persistence and degradability Biodegradability: not applicable. Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable	Adacor 80 Dip (Mixture)				
Persistence and degradability Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable Cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable Not applicable Not applicable	Persistence and degradability	Not established.			
Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable cristobalite (14464-46-1) Persistence and degradability Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable BOD (% of ThOD) Not applicable Aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable.	sodium silicate, alkaline 1.6/2.6, 35%≤conc≤5	5%, aqueous solutions (1344-09-8)			
ThOD Not applicable BOD (% of ThOD) Not applicable cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable.	Persistence and degradability	Biodegradability: not applicable.			
BOD (% of ThOD) Cristobalite (14464-46-1) Persistence and degradability Chemical oxygen demand (COD) ThOD Not applicable BOD (% of ThOD) Not applicable aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable.	Chemical oxygen demand (COD)	Not applicable			
Cristobalite (14464-46-1) Persistence and degradability Mineral, Not applicable. Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable.	ThOD	Not applicable			
Persistence and degradability Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable.	BOD (% of ThOD)	Not applicable			
Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable.	cristobalite (14464-46-1)				
ThOD Not applicable BOD (% of ThOD) Not applicable aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable.	Persistence and degradability	Mineral, Not applicable.			
BOD (% of ThOD) Not applicable aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable.	Chemical oxygen demand (COD)	Not applicable			
aluminium oxide, non-fibrous (1344-28-1) Persistence and degradability Not applicable.	ThOD	Not applicable			
Persistence and degradability Not applicable.	BOD (% of ThOD)	Not applicable			
	aluminium oxide, non-fibrous (1344-28-1)				
Chemical oxygen demand (COD) Not applicable	Persistence and degradability	Not applicable.			
	Chemical oxygen demand (COD)	Not applicable			

9/5/2025 (Revision date) EN (English US) 5/7

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

aluminium oxide, non-fibrous (1344-28-1)				
ThOD	Not applicable			
quartz (14808-60-7)				
Persistence and degradability	Not applicable.			
Biochemical oxygen demand (BOD)	Not applicable			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
12.3. Bioaccumulative potential				
Adacor 80 Dip (Mixture)				
Bioaccumulative potential	Not established.			
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55	5%, aqueous solutions (1344-09-8)			
Bioaccumulative potential	No bioaccumulation data available.			
cristobalite (14464-46-1)				
Bioaccumulative potential	No data available.			
aluminium oxide, non-fibrous (1344-28-1)				
Bioaccumulative potential	No data available.			
quartz (14808-60-7)				
Bioaccumulative potential	No data available.			
12.4. Mobility in soil				
sodium silicate, alkaline 1.6/2.6, 35%≤conc≤55	5%, aqueous solutions (1344-09-8)			
Ecology - soil	No data available.			
cristobalite (14464-46-1)				
Ecology - soil	No data available.			
aluminium oxide, non-fibrous (1344-28-1)				
Surface tension	Not applicable (water solubility < 1 mg/l)			
Ecology - soil	No data available.			
12.5. Other adverse effects				
Effect on the global warming : Fluorinated greenhouse gases :	Not classified None known No Avoid release to the environment.			
SECTION 13 Disposal considerations				
Product/Packaging disposal recommendations :	Dispose in a safe manner in accordance with local/national regulations.			

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

Department of Transportation (DOT)
In accordance with DOT

Not regulated
Transportation of Dangerous Goods

Not regulated
Transport by sea Not regulated Air transport Not regulated

9/5/2025 (Revision date) EN (English US) 6/7

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

aluminium oxide, non-fibrous (1344-28-1)

Not subject to reporting requirements of the United States SARA Section 313

Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.

15.2. International regulations

CANADA

cristobalite (14464-46-1)

Listed on the Canadian DSL (Domestic Substances List)

aluminium oxide, non-fibrous (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. State regulations

Adacor 80 Dip (Mixture)

U.S. - California - Proposition 65 - Other information

This product contains crystalline silica, a chemical known to the state of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov

crist	nhal	lito /	1/1/	161-	16_1\

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity	U.S California - Proposition 65 - Reproductive Toxicity	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
_	·	- Female	- Male		
Yes	No	No	No		

U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity	, , ,	, í
		- Female	- Male		
Yes	No	No	No		

Component	State or local regulations
cristobalite(14464-46-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous
	Substance List; U.S Pennsylvania - RTK (Right to Know) List
aluminium oxide, non-fibrous(1344-28-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous
, , ,	Substance List; U.S Pennsylvania - RTK (Right to Know) List
quartz(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date : 9/5/2025 Issue date : 3/15/2015

Other information : Report language name. English. In the event of any conflict between English and other language

versions, the English version shall prevail.

Full text of hazard classes and H-statements	
H315	Causes skin irritation
H320	Causes eye irritation
H350	May cause cancer.

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, RHI Magnesita makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

9/5/2025 (Revision date) EN (English US) 7/7