

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 9/9/2022 Revision date: 9/9/2022 Supersedes: 8/13/2019

	ECTION 1: Identification	
Product form : Mixture Product name : Alkatrol W-20031 CAS-No. : Mixture Product code : 0120 Other means of identification : Alumina-Silicate Mineral 1.2. Recommended use and restrictions on use Use of the substance/mixture : Refractory Mineral Recommended use : Industrial use 1.3. Supplier Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Stuebenville Pike Pittsburgh, PA, 15205 United States SIG Statementy Exponential Pike Pittsburgh, PA, 15205 United States SIG RescoProducts.com - WWW.RescoProducts.com 21.4 Energency telephone number Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970 SECTION 2: Hazard(s) identification 21.1 Classification 21.1 Classification 31.5 Classes skin irritation 31.5 Classes skin irritation 31.5 Classes skin irritation 32.5 Clauses experiments 33.6 IN IN EVERS 33.6 FIN IN EVERS 34.6 Classes 35.6 FIN SC 1000	1. Identification	
CAS-No. : Mixture Product code : 0120 Other means of identification : Alumina-Silicate Mineral 1.2. Recommended use and restrictions on use Use of the substance/mixture : Refractory Mineral Recommended use : Industrial use 1.3. Supplier Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steudenville Pike Pittsburgh, PA, 15205 United States 1.4. Emergency telephone number Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture CHS US classification Skin corrosion/irritation Category 2 Sefure of amage/eye initiation Category 2 Sefure of amage/eye initiation Category 2 Set atalements (GHS US) Ful text of H Statements, Including precautionary statements CHS US labeling Hazard statements (GHS US) Figure 1 - 200 Signal word (GHS US) Hazard statements (GHS US) Figure 2 - 200 Precautionary statements (GHS US) Figure 2 - 200 Figure 2 - 200 Fig		: Mixture
Product code : 0120 Other means of identification : Alumina-Silicate Mineral 12. Recommended use and restrictions on use Use of the substance/mixture : Refractory Mineral Recommended use : Industrial use 13. Supplier Rescon Products, Inc. One Robinson Plaza, Suite 300 0600 Steubenville Pike Pittsburgh, PA, 15205 United States 412.494.4491 SDS @ RescoProducts.com - WWW. RescoProducts.com 1.4. Emergency telephone number Emergency number Emergency number ECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Skin corrosion/irritation Category 2 H315 Causes skin irritation Carcinogen(inty Category 1A H320 Causes skin irritation Full tot of H statements; is ee section 16 2.2. GHS Label elements, including precautionary statements GHS US labeling Hazard statements (GHS US) : Danger H320 Causes skin irritation H320 Causes sey primation H320 Ca		
Other means of identification : Alumina-Silicate Mineral 1.2. Recommended use and restrictions on use Image: Commended use in the substance/mixture is the substance/mixture in the substance/mixture is the substance/mixture in the substance is the substance in the substance in the substance is the substance in the substance in the substance is the substance in the substance is the substance is the substance in the substance is the substance is the substance in the substance is		
12. Recommended use and restrictions on use Use of the substance/mixture : Refractory Mineral Recommended use : Industrial use 13. Supplier Reson Products, Inc. One Robinson Plaza, Suite 300 6600 Steuberville Pike Pittsburgh, PA, 15205 United States 412-494-4491 SUSS@RescoProducts.com - WWW.RescoProducts.com 14. Emergency telephone number EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970 SECTION 2: Hazard(s) identification Causes skin irritation 21. Classification of the substance or mixture H315 Causes skin irritation Serious eye damage/eye irritation Category 2 H315 Causes eye irritation Serious eye damage/eye irritation Category 1A H350 May cause cancer (Inhalation) Pull text of H statements: see section 16 : : : 22. GHS Label elements, including precautionary statements : : : : GHS US labeling :<		
Recommended use : Industrial use 13. Supplier Resco Products, Inc. One Robinson Plaza, Suite 300 6000 Steubenville Pike Pittsburgh, PA, 15205 United States 412-494-4491 SDS@RescoProducts.com - WWW.RescoProducts.com 14. Emergency telephone number Emergency telephone number Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970 SECTION 2: Hazard(s) identification 21. Classification of the substance or mixture CHS US classification H315 Causes skin irritation Serious eye damage/sye irritation Category 2B H320 Causes skin irritation Carcinogenicity Category 1A H350 May cause cancer (Inhalation) Pull text of H statements : see section 16 2.2. GHS Label elements, including precautionary statements GHS US labeling : Image: Skin irritation Hazard statements (GHS US) : Danger Signal word (GHS US) : Danger Hazard statements (GHS US) : Pauses skin irritation H320 Causes skin irritation H320 Causes of irritation H320 Causes skin irritation H320		
Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 United States 412:494-4491 SDS@RescoProducts.com - WWW.RescoProducts.com 1.4. Emergency telephone number Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Skin corrosion/irritation Category 2 Kin corrosion/irritation Category 2B H325 Causes skin irritation Causes eye irritation Full text of H statements : see section 16 2.2. GHS Label elements, including precautionary statements GHS US labeling Hazard pictograms (GHS US) Fignal word word word word word word word word		
One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 United States 112-494-4491 SDS@ RescoProducts.com - WWW.RescoProducts.com 1.4. Emergency telephone number Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Skin corrosion/initiation Category 2 Bio corrosion/initiation Category 2 Category 1A Bio corrosion/initiation Category 2 Category 2 Signal word (GHS US) : Danger Hazard b	3. Supplier	
Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300 Outside USA & Canada +1 703-741-5970 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B Carcinogenicity Category 1A Full text of H statements : see section 16 2.2. GHS Label elements, including precautionary statements GHS US labeling Hazard pictograms (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US) Precautionary statements (GHS US) Precautionary statements (GHS US) Precautionary statements (GHS US) Page Protective gloves/protective clothing/eye protection/face protection. P305+P331+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove	ne Robinson Plaza, Suite 300 500 Steubenville Pike ttsburgh, PA, 15205 nited States 2-494-4491 <u>DS@RescoProducts.com</u> - <u>WWW.RescoProducts.co</u>	<u>om</u>
Outside USA & Canada +1 703-741-5970 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS US classification Skin corrosion/irritation Category 2 H315 Causes skin irritation Serious eye damage/eye irritation Category 2B Causes eye irritation Causes interventes Causes interventes GHS Label elements, including precautionary statements GHS US labeling Hazard pictograms (GHS US) : Danger Hazard statements (GHS US) : Danger Hazard statements (GHS US) : Pago - Wear protective gloves/protective clothing/eye protection. P305 - P330 - Wear protective gloves/protective clothing/eye protection. P305-F351-P333 IF IN EYES:		
2.1. Classification of the substance or mixture GHS US classification Skin corrosion/irritation Category 2 Berious eye damage/eye irritation Category 2B Carcinogenicity Category 1A Full text of H statements : see section 16 2.2. GHS Label elements, including precautionary statements GHS US labeling Hazard pictograms (GHS US) Hazard statements (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US) Pass - Pass - IF IN EYES: Rinse cautiously with water for several minutes. Remover		
GHS US classification Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B H315 Causes skin irritation Carcinogenicity Category 1A Full text of H statements : see section 16 2.2. GHS Label elements, including precautionary statements GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US) Statements (GHS US) Statements (GHS US) Precautionary statements (GHS US) Precautionary statements (GHS US) Precautionary statements (GHS US) Precautionary statements (GHS US) Precaut	ECTION 2: Hazard(s) identification	
Skin corrosion/irritation Category 2 H315 Causes skin irritation Serious eye damage/eye irritation Category 2B H320 Causes eye irritation Carcinogenicity Category 1A H350 May cause cancer (Inhalation) Full text of H statements : see section 16 Ease section 16 2.2. GHS Label elements, including precautionary statements GHS US labeling Ease skin irritation Hazard pictograms (GHS US) : Image: Causes skin irritation Hazard statements (GHS US) : Danger Hazard statements (GHS US) : H315 - Causes skin irritation H320 - Causes eye irritation H320 H320 Precautionary statements (GHS US) : Danger Precautionary statements (GHS US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Removed	1. Classification of the substance or mixtur	re
GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US) Precautionary statements (GHS US) Precautionary statements (GHS US) Precautionary statements (GHS US) Hazard Statements (GHS US)	xin corrosion/irritation Category 2 erious eye damage/eye irritation Category 2B arcinogenicity Category 1A	H320 Causes eye irritation
 Hazard pictograms (GHS US) Signal word (GHS US) Danger Hazard statements (GHS US) H315 - Causes skin irritation H320 - Causes eye irritation H350 - May cause cancer (Inhalation) Precautionary statements (GHS US) P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Removed 	2. GHS Label elements, including precaution	onary statements
Hazard statements (GHS US) : H315 - Causes skin irritation H320 - Causes eye irritation H350 - May cause cancer (Inhalation) Precautionary statements (GHS US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Removed	•	
Precautionary statements (GHS US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove		: H315 - Causes skin irritation H320 - Causes eye irritation
contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P260 - Do not breathe dust/fume/gas/mist/vapors/spray.	ecautionary statements (GHS US) :	 P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
2.3. Other hazards which do not result in classification	3. Other hazards which do not result in class	ssification
No additional information available		
2.4. Unknown acute toxicity (GHS US)		
Not applicable		
SECTION 3: Composition/Information on ingredients	ECTION 3: Composition/Information on	n ingredients
3.1. Substances	1. Substances	
Not applicable		
3.2. Mixtures	2. Mixtures	
Name Product identifier % GHS US classification	lame	
quartz CAS-No.: 14808-60-7 20 – 50 Carc. 1A, H350 Full text of hazard classes and H-statements : see section 16 Carc. 1A, H350		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice
First-aid measures after inhalation	(show the label where possible). : Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Gently wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects	
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms Symptoms/effects after inhalation	: May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure through inhalation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes eye irritation.
4.3. Immediate medical attention and speci	ial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	g media
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: In case of fire, all extinguishing media allowed.
5.2. Specific hazards arising from the chem	
Fire hazard	: Not flammable.
5.3. Special protective equipment and prec	autions for fire-fighters
Firefighting instructions	: No specific fire-fighting instructions required.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measu	res
6.1. Personal precautions, protective equip	oment and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures	: Do not breathe dust.
6.1.2. For emergency responders Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
No additional information available	
6.3. Methods and material for containment	and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Minimize generation of dust.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal pro	tection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	 Do not handle until all safety precautions have been read and understood. Avoid raising dust. Avoid contact with skin and eyes. Do not breathe dust. Wash hands and other exposed areas with mild soap and water before eating, drinking or
Hygiene measures	smoking and when leaving work.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store in a dry place.
SECTION 8: Exposure controls/person	al protection
8.1. Control parameters	
Alkatrol W-20031 (Mixture)	
No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

quartz (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.025 mg/m³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV -
	Adopted Value; Respirable fraction)
USA - OSHA - Occupational Exposure Limits	Office exacts the second state of the
	Silica, crystalline quartz, respirable dust
OSHA PEL (TWA) [1]	0.05 mg/m ³ respirable dust
Remark (OSHA)	(3) See Table Z-3.
8.2. Appropriate engineering controls	
Appropriate engineering controls :	Provide adequate ventilation to minimize dust concentrations.
8.3. Individual protection measures/Personal	protective equipment
Personal protective equipment:	
Avoid all unnecessary exposure.	
Hand protection:	
Wear protective gloves.	
Eye protection:	
Chemical goggles or safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
Wear appropriate mask	
Other information:	
Do not eat, drink or smoke during use.	
SECTION 9: Physical and chemical prop	erties
9.1. Information on basic physical and chemi	
Physical state :	Solid
Appearance : Color :	Granular powder. Off-white
Odor :	earthy
Odor threshold	Not applicable
pH :	No data available
Melting point :	> 2000 °F
Freezing point :	Not applicable
Boiling point :	Not applicable
Critical temperature :	Not applicable
Critical pressure :	Not applicable
Flash point :	Not applicable No data available
Relative evaporation rate (butyl acetate=1) : Flammability (solid, gas) :	No data available Non flammable.
Vapor pressure :	Not Applicable
Vapor pressure at 50 °C	Not Applicable
Relative vapor density at 20 °C	No data available
Relative density :	≈ 2.7
Solubility :	Insoluble in water.
Partition coefficient n-octanol/water (Log Pow) :	No data available
Auto-ignition temperature :	Not applicable
Decomposition temperature :	No data available
Viscosity, kinematic : Viscosity, dynamic :	Not Applicable Not Applicable
Explosion limits	No data available
Explosive properties :	No data available
Oxidizing properties :	No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity None known.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Avoid dust formation.	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	: Causes skin irritation.
quartz (14808-60-7)	6 7
pH Serious que demogre (initation	6-7
Serious eye damage/irritation	: Causes eye irritation.
quartz (14808-60-7)	
pH	6-7
	Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer (Inhalation).
quartz (14808-60-7)	A Construction to how one
IARC group	1 - Carcinogenic to humans
	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure Aspiration hazard	: Not classified : Not classified
Viscosity, kinematic	: Not Applicable
Likely routes of exposure	: Inhalation.
Potential Adverse human health effects and	Based on available data, the classification criteria are not met.
symptoms	
Symptoms/effects after inhalation	: May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure
	through inhalation.
Symptoms/effects after skin contact	Causes skin irritation.
Symptoms/effects after eye contact	: Causes eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
Alkatrol W-20031 (Mixture)	
Persistence and degradability	Not established.
guartz (14808-60-7)	
Persistence and degradability	Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
12.3. Bioaccumulative potential	
Alkatrol W-20031 (Mixture)	
Bioaccumulative potential	Not established.
quartz (14808-60-7)	
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
No additional information available	

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		-					
12.5. Other adverse	effects						
Effect on the global war	ming :	None known					
Other information	:	: No other effects known.					
SECTION 13: Dis	oosal considerations						
13.1. Disposal meth							
Product/Packaging disp Ecology - waste materia	oduct/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.						
	nsport information						
In accordance with DOT Department of Trans Not regulated Transportation of Da Not regulated Transport by sea Not regulated Air transport Not regulated	/ TDG / IMDG / IATA portation (DOT)						
	ulatory information						
15.1. US Federal reg							
	product are present and listed a	as Active on the United S	tates Environmental Pro	tection Agency Toxic S	Substances Control Act		
15.2. International r	egulations						
CANADA No additional informatio EU-Regulations No additional informatio National regulations							
quartz (14808-60-7)							
Listed on IARC (International	ational Agency for Research on	Cancer)					
15.3. US State regu	lations						
Alkatrol W-20031 (I U.S California - Prop	Mixture) osition 65 - Other information		crystalline silica, a chemi mation go to WWW.P65		of California to cause		
quartz (14808-60-7)							
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)		
Yes	No	No	No				
Component		State or legal regul	lations				
ComponentState or local regulationQuartz (14808-60-7)U.S New Jersey - R			ight to Know Hazardous Substance List				
SECTION 16: Oth	er information						
	egister / Vol. 77, No. 58 / Monda : :	09/09/2022	English. In the event of	any conflict between E	English and other language		
		.,	a province and a second				
Full text of H-phrases							
H315 Ca	uses skin irritation						
H315 Ca H320 Ca							

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.