

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 4/17/2023 Revision date: 4/17/2023 Supersedes: 10/23/2020

SECTION 1: Identification					
1.1. Identification					
Product form	: Mixture				
Product name	: EZ Est 10 CR				
CAS-No. Product code	: Mixture : 3972				
Other means of identification	: Dry Additive for Gel Bonded Castable				
1.2. Recommended use and restrictions on					
Use of the substance/mixture	: Refractory				
Recommended use	: Industrial use				
1.3. Supplier					
Resco Products, Inc.					
One Robinson Plaza, Suite 300 6600 Steubenville Pike					
Pittsburgh, PA, 15205					
United States					
412-494-4491 SDS@RescoProducts.com - WWW.RescoProducts.					
1.4. Emergency telephone number					
Emergency number	: EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300				
	Outside USA & Canada +1 703-741-5970				
SECTION 2: Hazard(s) identification					
2.1. Classification of the substance or mixt					
GHS US classification	10				
Skin corrosion/irritation Category 2	H315 Causes skin irritation				
Serious eye damage/eye irritation Category 2B	H320 Causes eye irritation				
Carcinogenicity Category 1A Full text of H statements : see section 16	H350 May cause cancer (Inhalation)				
2.2. GHS Label elements, including precaut	onary statements				
GHS US labeling	onary statements				
Hazard pictograms (GHS US)					
Signal word (GHS US)	: Danger				
Hazard statements (GHS US)	: H350 - May cause cancer (Inhalation)				
	H315 - Causes skin irritation				
Precautionary statements (GHS US)	H320 - Causes eye irritation : P202 - Do not handle until all safety precautions have been read and understood.				
recautionary statements (Orio 00)	P280 - Wear eye protection, Dust respirator, protective gloves.				
	P260 - Do not breathe dust.				
2.3. Other hazards which do not result in cl	assification				
No additional information available					
2.4. Unknown acute toxicity (GHS US)					
No additional information available					
SECTION 3: Composition/Information of	n ingredients				
3.1. Substances					
Not applicable					
3.2. Mixtures					
Name	Product identifier % GHS US classification				
aluminium oxide, non-fibrous	CAS-No.: 1344-28-1 75 – 95 Not classified				
chromium(III) oxide	CAS-No.: 1308-38-9 10 – 20 Not classified				
cristobalite Full text of hazard classes and H-statements : see s	CAS-No.: 14464-46-1 0.1 – 0.5 Carc. 1A, H350				
Fuil text of hazard classes and H-statements : see s					

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Gently wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	 Rinse mouth. Do not induce vomiting. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effects (a	
	: Coughing.
Symptoms/effects after skin contact	: Causes skin irritation.
	: Causes eye irritation.
4.3. Immediate medical attention and specia	I treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	
	: Use extinguishing media appropriate for surrounding fire.
5.2. Specific hazards arising from the chemi	: In case of fire, all extinguishing media allowed.
	: Non-flammable.
5.3. Special protective equipment and preca	
	: Fight fire with normal precautions from a reasonable distance.
Protection during firefighting	 Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measure	es
6.1. Personal precautions, protective equipment	nent and emergency procedures
6.1.1. For non-emergency personnel	
	: [In case of inadequate ventilation] wear respiratory protection. Protective gloves. Safety glasses.
6.1.2. For emergency responders Protective equipment	: Equip cleanup crew with proper protection.
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	
6.3. Methods and material for containment a	nd cleaning up
	: Collect spillage.
	: On land, sweep or shovel into suitable containers.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Avoid contact with
Hygiene measures	skin and eyes. Do not breathe dust. : Wash hands and other exposed areas with mild soap and water before eating, drinking or
7.2. Conditions for safe storage, including a	smoking and when leaving work.
	: Store this product in a dry location where it can be protected from the elements.
	 Finely divided metals. Chromic oxide may react with alkali at high temperatures under oxidizing conditions.
SECTION 8: Exposure controls/persona	I protection
8.1. Control parameters	
EZ Est 10 CR (Mixture)	
No additional information available	
aluminium oxide, non-fibrous (1344-28-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	1 mg/m ³ respirable dust

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

chromium(III) oxide (1308-38-9)	
No additional information available	
cristobalite (14464-46-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.025 mg/m ³ respirable dust
USA - OSHA - Occupational Exposure Limits	
OSHA PEL (TWA) [1]	0.05 mg/m ³ respirable dust
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Provide adequate ventilation to minimize dust concentrations.
8.3. Individual protection measures/Perso	onal protective equipment
Personal protective equipment: Avoid all unnecessary exposure.	
Hand protection:	
Wear protective gloves.	
Eye protection:	
Chemical goggles or safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
Wear appropriate mask	
SECTION 9: Physical and chemical p	roperties
9.1. Information on basic physical and ch	emical properties
Physical state	: Solid
Appearance	: Granular mixture.
Color	: Green
Odor	: odorless
Odor threshold	: No data available
рН	: No data available
Melting point	: > 2000 °F
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

Viscosity, kinematic Viscosity, dynamic : No data available Explosion limits No data available : Explosive properties No data available Oxidizing properties No data available · 9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Fire conditions may produce small amounts of hexavalent chromium and other oxidation products.

÷

No data available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
Strong acids. Chromic oxide may react with alkali at	high temperatures under oxidizing conditions.
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Toxicological information	n and a second
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
aluminium oxide, non-fibrous (1344-28-1)	
LD50 oral rat	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female,
LOCO Inhelation Dat	Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
chromium(III) oxide (1308-38-9)	
LD50 oral rat	> 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	 > 5.41 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))
Skin corrosion/irritation	: Causes skin irritation.
aluminium oxide, non-fibrous (1344-28-1)	
pH	9 – 10.5 (aqueous suspension, 33 %)
chromium(III) oxide (1308-38-9)	
pH	No data available in the literature
cristobalite (14464-46-1)	
pH	6 - 7
Serious eye damage/irritation	: Causes eye irritation.
aluminium oxide, non-fibrous (1344-28-1)	
рН	9 – 10.5 (aqueous suspension, 33 %)
chromium(III) oxide (1308-38-9)	
рН	No data available in the literature
cristobalite (14464-46-1)	
рН	6 – 7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer (Inhalation).
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard Viscosity, kinematic	: Not classified : No data available
aluminium oxide, non-fibrous (1344-28-1)	
Viscosity, kinematic	Not applicable (solid)
chromium(III) oxide (1308-38-9)	
Viscosity, kinematic	Not applicable (solid)
Symptoms/effects after inhalation	: Coughing.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
aluminium oxide, non-fibrous (1344-28-1)	
	> 100 mg/l (96 h, Salmo trutta, Literature study)
	> 100 mg/l (48 h, Daphnia magna, Literature study)
chromium(III) oxide (1308-38-9)	
LC50 - Fish [1]	> 10000 mg/l (ISO 7346-1, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability	
aluminium oxide, non-fibrous (1344-28-1)	
Persistence and degradability	Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
chromium(III) oxide (1308-38-9)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
cristobalite (14464-46-1)	
	Mineral Net applicable
Persistence and degradability Chemical oxygen demand (COD)	Mineral. Not applicable.
ThOD	Not applicable Not applicable
BOD (% of ThOD)	Not applicable
	Not applicable
12.3. Bioaccumulative potential aluminium oxide, non-fibrous (1344-28-1)	
	No data available
Bioaccumulative potential	No data available.
chromium(III) oxide (1308-38-9)	
Bioaccumulative potential	Not bioaccumulative.
cristobalite (14464-46-1)	
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
aluminium oxide, non-fibrous (1344-28-1)	
Surface tension	No data available in the literature
Ecology - soil	No data available.
chromium(III) oxide (1308-38-9)	
Surface tension	No data available in the literature
Ecology - soil	Adsorbs into the soil.
cristobalite (14464-46-1)	
Ecology - soil	No data available.
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Disposal methods	
	Do not discharge into the sewer.
Additional information :	Chromite (Cr*+3) may in normal use be converted chemically to a chromate (Cr*+6). Hexavalent chromium (Cr*+6) is considered a hazardous material.
SECTION 14: Transport information	
In accordance with DOT / TDG / IMDG / IATA Department of Transportation (DOT) In accordance with DOT Not regulated Transportation of Dangerous Goods Not regulated Transport by sea Net regulated	
Not regulated	
Air transport	
Not regulated	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
EZ Est 10 CR (Mixture)	
Note	This information must be included in all SDS's that are copied and distributed for this material.
All components of this product are present and listed a (TSCA) inventory	s Active on the United States Environmental Protection Agency Toxic Substances Control Act

aluminium oxide, non-fibrous (1344-28-1) Not subject to reporting requirements of the United States SARA Section 313

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

aluminium oxide, no	n-fibrous	(1344-28-1)				
Note	Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.					
chromium(III) oxide (
Subject to reporting requi	rements of	f United States SAR	A Section 313			
15.2. International reg	<i>julations</i>					
CANADA						
aluminium oxide, no	n-fibrous	(1344-28-1)				
Listed on the Canadian D	SL (Dome	stic Substances Lis	t)			
chromium(III) oxide (Listed on the Canadian D			t)			
cristobalite (14464-40 Listed on the Canadian D		stic Substances Lis	t)			
EU-Regulations No additional information a National regulations No additional information a	available		,			
15.3. US State regulat	ions					
EZ Est 10 CR (Mixtur	e)					
U.S California - Proposition 65 - Other information This product contains chromite (Cr*+3) which may in normal use, be converted chemically to a chromate (hexavalent chrome, a chemical known to the State of California to cause cancer. This product contains cry silica, a chemical known to the state of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov			duct contains crystalline			
cristobalite (14464-40	S-1)					
U.S California - Proposition 65 - Carcinogens List	U.S C Proposi	California - ition 65 - omental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity	U.S California - Proposition 65 - Reproductive Toxicity	No significant risk level (NSRL)	Maximum allowable dose level (MADL)

Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity		
		- Female	- Male		
Yes	No	No	No		
Component		State or local regul	lations		
aluminium oxide, non-fibrous (1344-28-1)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous			
	, , ,	Substance List; U.S	Pennsylvania - RTK (Rig	ht to Know) List	
chromium(III) oxide (1308-38-9)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous			
		Substance List			
Cristobalite (14464-46-1)		U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous			o Know Hazardous
	,		Pennsylvania - RTK (Rig		

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date Other information

4/17/2023 :

Report language name. English. In the event of any conflict between English and other language versions, the English version shall prevail.

Full text of H-phrases			
H315	Causes skin irritation		
H320	Causes eye irritation		
H350 May cause cancer			
Safety Data Sheet (SDS) 1154			

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.