

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/3/2015 Revision date: 5/24/2024 Supersedes: 3/3/2021

SECTION 1: Identification					
1.1. Identification					
Product form Product name CAS-No. Product code Other means of identification	: Mixture : QuikLite 3-DS : Mixture : 1577 : Alumina-Silicate Cement Bonded Castable				
1.2. Recommended use and restrictions on					
Use of the substance/mixture	: Refractory				
Recommended use	: Industrial use				
1.3. Supplier					
Resco Products, Inc. One Robinson Plaza, Suite 300 6600 Steubenville Pike Pittsburgh, PA, 15205 United States T 412-494-4491 <u>SDS@RescoProducts.com</u> - <u>WWW.RescoProducts.co</u>	:om				
1.4. Emergency telephone number					
Emergency number		Y (CHEMTREC) USA nada +1 703-741-5970	& Canada 1-800-	424-9300	
SECTION 2: Hazard(s) identification					
2.1. Classification of the substance or mixtu	ire				
GHS US classification Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2B Carcinogenicity Category 1A Full text of H statements : see section 16	H3 H3. H3	20 Causes ey	in irritation e irritation e cancer (Inhalatio	on)	
2.2. GHS Label elements, including precaut	onary statements				
GHS US labeling Hazard pictograms (GHS US)					
Signal word (GHS US) Hazard statements (GHS US)	 Danger H315 - Causes skir H320 - Causes eye H350 - May cause 	rritation cancer (Inhalation)			
Precautionary statements (GHS US)	 P280 - Wear eye protection, Dust respirator, protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P260 - Do not breathe dust. 				
2.3. Other hazards which do not result in cla	assification				
Other hazards which do not result in classification	initial heat up. Thes		monoxide, carbo	ay give off smoke or fumes during on dioxide, and hydrocarbons. may be required.	
2.4. Unknown acute toxicity (GHS US)					
No additional information available					
SECTION 3: Composition/Information o	n ingredients				
3.1. Substances					
Not applicable					
3.2. Mixtures					
Name		Product identifier	%	GHS US classification	
Calcium Aluminate Cement		CAS-No.: 65997-16-2	20 – 50	Skin Irrit. 2, H315 Eye Irrit. 2B, H320	
quartz		CAS-No.: 14808-60-7	20 – 50	Carc. 1A, H350	

Safety Data Sheet

	·			
Name		Product identifier	%	GHS US classification
cristobalite Full text of hazard classes and H-statements ; see sec	ction 16	CAS-No.: 14464-46-1	10 – 20	Carc. 1A, H350
SECTION 4: First-aid measures				
4.1. Description of first aid measures	· Novor give opything	by mouth to an unconc	aious porson If	you feel upwell, eeek medical advice
First-aid measures general	(show the label whe		cious person. Il	you feel unwell, seek medical advice
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.			
First-aid measures after skin contact First-aid measures after eye contact	 Gently wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present 			
	and easy to do. Continue rinsing.			
-		OT induce vomiting. Obta	ain emergency	medical attention.
4.2. Most important symptoms and effects (a				
Potential Adverse human health effects and symptoms	: Danger of serious c	lamage to health by prolo	onged exposure	e through inhalation.
		by inhalation. Danger of s	serious damage	e to health by prolonged exposure
Symptoms/effects after skin contact	through inhalation. : Causes skin irritation	n		
	: Causes eye irritatio			
4.3. Immediate medical attention and special				
No additional information available				
SECTION 5: Fire-fighting measures				
5.1. Suitable (and unsuitable) extinguishing	media			
Suitable extinguishing media		nedia appropriate for sur		
0 0	· · ·	tinguishing media allowe	ed.	
5.2. Specific hazards arising from the chemic Fire hazard	: Not flammable.			
5.3. Special protective equipment and preca		tors		
		al precautions from a rea	sonable distan	ce.
Protection during firefighting Other information	 Do not enter fire area without proper protective equipment, including respiratory protection. This product contains a dust suppression admixture, that may give off smoke or fumes during 			
		e fumes include carbon i n and appropriate respira		on dioxide, and hydrocarbons. may be required.
SECTION 6: Accidental release measure	es			
6.1. Personal precautions, protective equipm	nent and emergend	cy procedures		
6.1.1. For non-emergency personnel			a	
Emergency procedures 6.1.2. For emergency responders	Do not breathe dus	t. Avoid contact with skin	and eyes.	
Protective equipment		with proper protection.		
	: Ventilate area. On I	and, sweep or shovel inte	o suitable conta	ainers.
6.2. Environmental precautions				
Prevent entry to sewers and public waters. 6.3. Methods and material for containment a	nd cleaning up			
	• •	shovel into suitable conta	ainers, Minimize	e generation of dust
6.4. Reference to other sections				
See Heading 8. Exposure controls and personal prote	ction.			
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
	: Do not handle until	all safety precautions ha	ve been read a	nd understood. Avoid raising dust. Do
Hygiene measures			,	vater before eating, drinking or
7.2. Conditions for safe storage, including a				
Storage conditions	: Store this product in	n a dry location where it o	can be protecte	d from the elements.
Incompatible products	: Strong bases. Stron			
SECTION 8: Exposure controls/persona	I protection			
8.1. Control parameters				

Safety Data Sheet

QuikLite 3-DS (Mixture)	
No additional information available	
Calcium Aluminate Cement (65997-16-2)	
No additional information available	
cristobalite (14464-46-1)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.025 mg/m ³ respirable dust
USA - OSHA - Occupational Exposure Limits	
OSHA PEL (TWA) [1]	0.05 mg/m ³ respirable dust
quartz (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.025 mg/m ³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Respirable fraction)
USA - OSHA - Occupational Exposure Limits	
Local name	Silica, crystalline quartz, respirable dust
OSHA PEL (TWA) [1]	0.05 mg/m³ respirable dust
Remark (OSHA)	(3) See Table Z-3.
8.2. Appropriate engineering controls	
Appropriate engineering controls :	Provide adequate ventilation to minimize dust concentrations.
8.3. Individual protection measures/Personal	protective equipment
Personal protective equipment:	
Avoid all unnecessary exposure.	
Hand protection:	
Wear protective gloves.	
Eye protection:	
Chemical goggles or safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
Wear appropriate mask	
Other information: Do not eat, drink or smoke during use.	
SECTION 9: Physical and chemical prop	erties
9.1. Information on basic physical and chemi	
Physical state :	: Solid

Physical state	:	Solid
Appearance	:	Granular mixture.
Color	:	light brown
Odor	:	earthy
Odor threshold	:	No data available
рН	:	≈ 10.5
pH solution concentration	:	10 %
Melting point	:	> 2000 °F
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	Not flammable.
Vapor pressure	:	No data available
Relative vapor density at 20°C	:	No data available
Relative density	:	≈ 0.9
Solubility	:	Slightly soluble.
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	Not Applicable
Viscosity, dynamic	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

Safety Data Sheet

9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Hydraulic setting.	
10.2. Chemical stability	
Stable under normal conditions of use.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Avoid dust formation.	
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Toxicological information	n
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified
Skin corrosion/irritation	: Causes skin irritation.
	pH: ≈ 10.5
Calcium Aluminate Cement (65997-16-2)	
рН	≤ 13
cristobalite (14464-46-1)	
рН	6-7
quartz (14808-60-7)	
рН	6 - 7
Serious eye damage/irritation	Causes eye irritation. pH: ≈ 10.5
Calcium Aluminate Cement (65997-16-2)	pri. ~ 10.5
pH	≤ 13
cristobalite (14464-46-1)	
pH	6-7
	0-7
quartz (14808-60-7)	
рН	6-7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity Carcinogenicity	: Not classified : May cause cancer (Inhalation).
quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure Aspiration hazard	: Not classified : Not classified
Viscosity, kinematic	: Not Applicable
Potential Adverse human health effects and symptoms	: Danger of serious damage to health by prolonged exposure through inhalation.
Symptoms/effects after inhalation	: May cause cancer by inhalation. Danger of serious damage to health by prolonged exposure
	through inhalation.

Safety Data Sheet

	Causes skin irritation. Causes eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
QuikLite 3-DS (Mixture)	
Persistence and degradability	Not established.
cristobalite (14464-46-1)	
Persistence and degradability	Mineral. Not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
quartz (14808-60-7)	
Persistence and degradability	Not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
12.3. Bioaccumulative potential	
QuikLite 3-DS (Mixture)	
Bioaccumulative potential	Not established.
cristobalite (14464-46-1)	
Bioaccumulative potential	No data available.
quartz (14808-60-7)	
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
cristobalite (14464-46-1)	
Ecology - soil	No data available.
12.5. Other adverse effects	
5	None known No other effects known.
SECTION 13: Disposal considerations	
13.1. Disposal methods	
Product/Packaging disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
SECTION 14: Transport information	
In accordance with DOT / TDG / IMDG / IATA Department of Transportation (DOT) In accordance with DOT Not regulated Transportation of Dangerous Goods Not regulated Transport by sea Not regulated Air transport Not regulated	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

Calcium Aluminate Cement (65997-16-2)

Listed on the Canadian DSL (Domestic Substances List)

cristobalite (14464-46-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available **National regulations**

quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

QuikLite 3-DS (Mixture)

U.S. - California - Proposition 65 - Other information This product contains crystalline silica, a chemical known to the state of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov

cristobalite (14464-46-	1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	Proposition 65 -	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

quartz (14808-60-7))				
U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity		. ,
-		- Female	- Male		
Yes	No	No	No		

Component	State or local regulations
Cristobalite (14464-46-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous
. ,	Substance List; U.S Pennsylvania - RTK (Right to Know) List
Quartz (14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List
SECTION 16: Other information	
according to Federal Register / Vol. 77, No	. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision date	: 5/24/2024
Other information	: Report language name. English. In the event of any conflict between English and other language

	versions, the English version shall prevail.		
Full text of H	Full text of H-phrases		
H315	Causes skin irritation		
H320	Causes eye irritation		
H350	May cause cancer		

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.