

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/1/2015 Revision date: 7/10/2024 Supersedes: 6/7/2021

#### **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Product name : REF Patch 90PB XF

CAS-No. : Mixture Product code : 2531

Other means of identification : Plastic/Ramming Mix Refractory

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Refractory Recommended use : Industrial use

#### 1.3. Supplier

Resco Products, Inc.
One Robinson Plaza, Suite 300
6600 Steubenville Pike
Pittsburgh, PA, 15205
United States
T 412-494-4491

SDS@RescoProducts.com - WWW.RescoProducts.com

#### 1.4. Emergency telephone number

Emergency number : EMERGENCY ONLY (CHEMTREC) USA & Canada 1-800-424-9300

Outside USA & Canada +1 703-741-5970

# **SECTION 2: Hazard(s) identification**

### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin corrosion/irritation Category 2 H315 Causes skin irritation Serious eye damage/eye irritation Category 2B H320 Causes eye irritation

Carcinogenicity Category 1A H350 After drying May cause cancer (Inhalation)

Full text of H statements: see section 16

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H315 - Causes skin irritation H320 - Causes eye irritation

H350 - After drying May cause cancer (Inhalation)

Precautionary statements (GHS US) : P280 - Wear eye protection, Dust respirator, protective gloves.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P260 - Do not breathe dust.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

No additional information available

# **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
aluminium oxide, non-fibrous	CAS-No.: 1344-28-1	50 – 75	Not classified
phosphoric acid, conc=75%, aqueous solution	CAS-No.: 7664-38-2	5 – 10	Skin Corr. 1B, H314
quartz	CAS-No.: 14808-60-7	1 – 5	Carc. 1A, H350

Full text of hazard classes and H-statements : see section 16

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 4: First-aid measures**

# 4.1. Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Gently wash with plenty of soap and water.

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

# 4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and Danger of serious damage to health by prolonged exposure through inhalation.

symptoms

Symptoms/effects after inhalation After drying or heating. Danger of serious damage to health by prolonged exposure through

inhalation. May cause cancer by inhalation.

Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact Causes eye irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : In case of fire, all extinguishing media allowed.

# 5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from

entering environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

**Emergency procedures** : Avoid contact with skin and eyes.

6.1.2. For emergency responders Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures On land, sweep or shovel into suitable containers.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Avoid contact with

skin and eyes. After drying Do not breathe dust.

Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store this product in a dry location where it can be protected from the elements.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **REF Patch 90PB XF (Mixture)**

No additional information available

### aluminium oxide, non-fibrous (1344-28-1)

**USA - ACGIH - Occupational Exposure Limits** 

ACGIH OEL TWA 1 mg/m3 respirable dust

7/10/2024 (Revision date) EN (English US) 2/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

phosphoric acid, conc=75%, aqueous solution (7664-38-2)			
No additional information available			
quartz (14808-60-7)			
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	0.025 mg/m³ (Silica-Crystalline Quartz; USA; Time-weighted average exposure limit 8 h; TLV -		
	Adopted Value; Respirable fraction)		
USA - OSHA - Occupational Exposure Limits			
Local name	Silica, crystalline quartz, respirable dust		
OSHA PEL (TWA) [1]	0.05 mg/m³ respirable dust		
Remark (OSHA)	(3) See Table Z-3.		
8.2. Appropriate engineering controls			

: Emergency eye wash fountain with clean water. Appropriate engineering controls

#### 8.3. Individual protection measures/Personal protective equipment

# Personal protective equipment:

Avoid all unnecessary exposure.

# Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

### Skin and body protection:

Wear suitable protective clothing

# Respiratory protection:

Dust when sawing or tear out. Wear appropriate mask

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Solid Appearance Plastic. Color white Odor Acid Odor Odor threshold No data available < 3

Melting point > 3000 °F Freezing point No data available Boiling point No data available Flash point No data available Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) Not flammable. No data available Vapor pressure Relative vapor density at 20°C No data available

Relative density ≈ 3

Slightly soluble. Solubility Partition coefficient n-octanol/water (Log Pow) No data available No data available Auto-ignition temperature Decomposition temperature No data available Viscosity, kinematic Not Applicable No data available Viscosity, dynamic No data available **Explosion limits** Explosive properties No data available Oxidizing properties No data available

# 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Air Setting.

7/10/2024 (Revision date) EN (English US) 3/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability
--------------------------

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

No additional information available

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

aluminium	oxide,	non-fibrous	(1344-28-1)	

	> 15900 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))

#### phosphoric acid, conc=75%, aqueous solution (7664-38-2)

	* • •	
ATE US (oral)		4400 mg/kg body weight
ATE 03 (oral)		14400 mg/kg body weight
011 1 11 11 11		

Skin corrosion/irritation : Causes skin irritation.

pH: < 3

#### aluminium oxide, non-fibrous (1344-28-1)

pH 9 – 10.5 (aqueous suspension, 33 %)

#### phosphoric acid, conc=75%, aqueous solution (7664-38-2)

pH 0 – 0.5 (20 °C)

#### quartz (14808-60-7)

pH 6-7

Serious eye damage/irritation : Causes eye irritation.

pH: < 3

#### aluminium oxide, non-fibrous (1344-28-1)

pH 9 – 10.5 (aqueous suspension, 33 %)

#### phosphoric acid, conc=75%, aqueous solution (7664-38-2)

pH 0 – 0.5 (20 °C)

#### quartz (14808-60-7)

pH 6-7

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : After drying May cause cancer (Inhalation).

# quartz (14808-60-7)

IARC group 1 - Carcinogenic to humans

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : Not Applicable

7/10/2024 (Revision date) EN (English US) 4/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

aluminium oxide, non-fibrous (1344-28-1)				
Viscosity, kinematic	Not applicable (solid)			
Potential Adverse human health effects and	: Danger of serious damage to health by prolonged exposure through inhalation.			
symptoms Symptoms/effects after inhalation	: After drying or heating. Danger of serious damage to health by prolonged exposure through			
Symptoms/effects after skin contact	inhalation. May cause cancer by inhalation.  : Causes skin irritation.			
Symptoms/effects after eye contact	: Causes eye irritation.			
SECTION 12: Ecological information				
12.1. Toxicity				
aluminium oxide, non-fibrous (1344-28-1)				
LC50 - Fish [1]	> 100 mg/l (96 h, Salmo trutta, Literature study)			
EC50 - Crustacea [1]	> 100 mg/l (48 h, Daphnia magna, Literature study)			
12.2. Persistence and degradability				
REF Patch 90PB XF (Mixture)				
Persistence and degradability	Not established.			
aluminium oxide, non-fibrous (1344-28-1)				
Persistence and degradability	Not applicable.			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
phosphoric acid, conc=75%, aqueous solu	tion (7664-38-2)			
Persistence and degradability	Biodegradability: not applicable.			
quartz (14808-60-7)	,			
Persistence and degradability	Not applicable.			
Biochemical oxygen demand (BOD)	Not applicable			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
12.3. Bioaccumulative potential				
REF Patch 90PB XF (Mixture)				
Bioaccumulative potential	Not established.			
aluminium oxide, non-fibrous (1344-28-1)	THE SOLUTION OF THE SOLUTION O			
Bioaccumulative potential	No data available.			
phosphoric acid, conc=75%, aqueous solu				
Bioaccumulative potential	No test data of component(s) available.			
quartz (14808-60-7)	THO LOOK data of component(o) available.			
Bioaccumulative potential	No data available.			
12.4. Mobility in soil				
aluminium oxide, non-fibrous (1344-28-1)				
Surface tension	No data available in the literature			
Ecology - soil	No data available.			
phosphoric acid, conc=75%, aqueous solu	tion (7664-38-2)			
Ecology - soil	Highly mobile in soil.			
12.5. Other adverse effects				
Effect on the global warming	: None known			
Other information	: No other effects known.			
SECTION 13: Disposal considerations				
13.1. Disposal methods				
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.			
SECTION 14: Transport information				
In accordance with DOT / TDG / IMDG / IATA				

In accordance with DOT / TDG / IMDG / IATA

Department of Transportation (DOT)
In accordance with DOT

Not regulated Transportation of Dangerous Goods

Not regulated

Transport by sea

Not regulated

7/10/2024 (Revision date) EN (English US) 5/6

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Air transport

Not regulated

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### aluminium oxide, non-fibrous (1344-28-1)

Not subject to reporting requirements of the United States SARA Section 313

Note

Note: The section 313 chemical list contains "CAS # 1344-28-1 Aluminum Oxide (Fibrous forms)"; the Aluminum oxide contained in this product is non-fibrous, and thus is not a section 313 material. Only manufacturing, processing, or otherwise use of aluminum oxide in the fibrous form triggers reporting.

# phosphoric acid, conc=75%, aqueous solution (7664-38-2)

Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ 5000 lb

#### 15.2. International regulations

#### **CANADA**

#### aluminium oxide, non-fibrous (1344-28-1)

Listed on the Canadian DSL (Domestic Substances List)

#### phosphoric acid, conc=75%, aqueous solution (7664-38-2)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

National regulations

#### quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

#### 15.3. US State regulations

# **REF Patch 90PB XF (Mixture)**

U.S. - California - Proposition 65 - Other information

This product contains crystalline silica, a chemical known to the state of California to cause cancer. For more information go to WWW.P65Warnings.ca.gov

U.S California -	U.S California -	U.S California -	U.S California -	No significant risk	Maximum allowable
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	level (NSRL)	dose level (MADL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity	Reproductive Toxicity		
		- Female	- Male		
Yes	No	No	No		

Component	State or local regulations
aluminium oxide, non-fibrous (1344-28-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know
	Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
phosphoric acid, conc=75%, aqueous solution (7664-38-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania -
	RTK (Right to Know) List
Quartz (14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 7/10/2024

Other information : Report language name. English. In the event of any conflict between English and other language

versions, the English version shall prevail.

Full text of H-phra	Full text of H-phrases			
H314	Causes severe skin burns and eye damage			
H315	Causes skin irritation			
H320	Causes eye irritation			
H350	May cause cancer			

Safety Data Sheet (SDS), USA

This information and recommendations set forth herein are taken from sources believed to be accurate as of the date herein, however, Resco Products, Inc. makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.

7/10/2024 (Revision date) EN (English US) 6/6